

# **Patient Information**

# **Arthroscopy**

Children's Services



#### Introduction

Your child has been admitted to the Day Surgery Unit for a procedure called an arthroscopy.

## What is an arthroscopy?

This is a type of keyhole surgery used both to diagnose and treat problems with joints.

During the procedure, your orthopaedic surgeon inserts the arthroscope (a small camera instrument about the size of a pencil) into a small incision next to the affected joint. arthroscope sends the image to a television monitor. On the monitor, your surgeon can see the structures of the joint in great detail and, if necessary, repair or remove damaged tissue. To do this, small surgical instruments inserted through other incisions around the joint.

## **Complications**

Complications following an arthroscopy are rare but can include:

- Infection in the affected joint causing fever, pain and swelling.
- Bleeding in the affected joint causing pain and swelling.
- Accidental damage to the nerves near the joint which can lead to numbness and possible loss of sensation.

## What to Expect in Hospital

Your child's operation will take place as a day case under a general anaesthetic. You and your child will be seen by an anaesthetist (the doctor who puts your child to sleep) and your surgeon prior to the operation. They will check that your child is well and confirm that the operation is still necessary. You will be asked to sign a "Consent for Treatment" form where the risks benefits and of operation will be fully explained.

## **After the Operation**

Following the operation it is likely that your child will feel tired and possibly tearful. This is due to the anaesthetic. They may have a drink shortly after returning to the ward and will then be encouraged to sleep.

The nurse looking after you will be assessing your child regularly and will let you know when it is safe for them to eat. There should be very little discomfort but if your child experiences any pain, please tell the nurse looking after you and painkillers will be given.

The nurses looking after you will also be regularly assessing the site of the operation for any excessive bleeding or change in circulation to the affected limb.

#### **CARE AT HOME**

#### **Wound Care**

The site of the operation will be covered with a small dressing. Depending on the dressing type, the nurse/surgeon will advise you when to remove it and when normal bathing can be resumed. Your child's wound site should be observed for signs of infection i.e. excessive swelling, redness around the plaster or dressing, pain or discharge. If your child develops a high temperature with any of these signs they should be checked by your GP or your nearest Children's Emergency your Department. If complains of numbness or tingling to the affected joint they should be checked by your GP.

#### **Pain Relief**

Regular pain relief is advised for 2-3 days. Paracetamol (Calpol) can be given every 4-6 hours up to four times a day and ibuprofen (Nurofen) every 6-8 hours up to three times a day. Please read the label for the correct dose for your child according to their age. Ice packs can help to relieve discomfort and reduce swelling. Please encourage your child to keep the affected limb elevated while resting.

### Last paracetamol given \_\_\_\_\_

## Last ibuprofen given\_\_\_\_

## **Eating and Drinking**

Your child may eat and drink normally.

### **Nausea and Vomiting**

Do not worry if your child feels sick or vomits once or twice after leaving hospital. The anaesthetic can cause this and it is not an uncommon side effect. If this occurs stop giving food for about an hour and try small amounts of water or diluted juice every 20 minutes then a light diet such as plain biscuits or toast. If your child continues to vomit please call for advice or go to your nearest A&E.

## **Activity**

Due to the anaesthetic your child must rest for 24-48 hours with adult supervision. They should be able to return to school after a week. Your surgeon will advise you as to when your child may participate in sport and PE.

## Follow-Up

You may be asked to attend a follow-up appointment four to six weeks after the operation. This appointment will be sent to you by post.

## **Further information**

NHS 111 🛣 111

or Contact your GP

NHS website - www.nhs.uk

# **Useful Telephone Numbers**

Children's Emergency Department
Lister Hospital 101438 284333

Urgent Care Centre, New QEII
Welwyn Garden City ☎ 01707 247549

Date of publication: April 2015

Author: Paediatric Leaflet Information Group Reference: Version: 3 (July 2019 no change)

Review Date: July 2022

© East and North Hertfordshire NHS Trust

www.enherts-tr.nhs.uk

You can request this information in a different format or another language.