

Patient Information

Pain Relief (Also know as Analgesia)

Children's Services



Introduction

The purpose of this leaflet is to explain pain relief for children.

Pain relief

The most common type of pain experienced by children is acute (sudden) pain resulting from injury, illness, or medical procedures. Pain relief is essential in allowing the body to heal faster and get back to normal activities. Pain is always personal: no two people experience it in the same way. This is why assessing pain and treating it are so important.

Pain relief is required to make it easier for doctors and nurses to assess your child's injury effectively. If you withhold pain relief before presenting to the Children's Emergency Department, treatment can be delayed and your child will feel less comfortable and more stressed.

Pain may also be reduced by play, any enjoyable activity, distraction and touching the painful area in a soothing way. If these methods do not work, then medication may be needed. If you have any concerns, discuss them with your doctor or nurse.

Paracetamol and **Ibuprofen** are the two most common medicines used to reduce pain.

Paracetamol and Ibuprofen work as painkillers by reducing the pain signals getting from the site of the injury to the brain.

You can give Paracetamol and Ibuprofen safely together. Used together they can be more effective in controlling pain. Please ask your nurse for a 24 hour plan for using both medications for pain control.

It is not true that giving your child pain relief will prevent doctors and nurses from knowing how much pain your child is in. We always, where possible, recommend pain relief **before** arrival.

Parents and carers should countercheck the content and strength of medication. It should be given according to the age of the child.

Calpol is a brand name – This medicine contains Paracetamol only.

- * Calpol Infant is for children over 2 months and weighing more than 4kg to 6 years.
- * Calpol 6+ is for children 6 years and over.
- * Own brand Paracetamol come in the same versions, Infant (baby) and 6+
- * Do **not** give more than 4 doses in a 24 hour period. Doses are given at 4-6 hourly intervals.

Calprofen, Nurofen and **Fenpaed** are all brand names and contain **Ibuprofen only**.

- * Ibuprofen is suitable for children from 3 months and weighing more than 5kg.
- * Do **not** give more than 3 doses in a 24 hour period. Doses are given 6-8 hourly (unless advised otherwise).

Paracetamol and Ibuprofen can be given in liquid and/or tablet form. Please see packaging for details.

Paracetamol and Ibuprofen can be taken to ease pain caused by toothache, earache, headache, Injuries such as fractures and sprains. They can also be used to treat a high temperature.

Remember...

Please keep all medicines locked away and out of sight. Ensure the safety lid is fitted on correctly and tightly. We see many children who have taken accidental overdoses of medicine.

If you have any concerns or questions about medicines, please ask a pharmacist, your GP or a member of the team within the Emergency Department or Minor Injury Unit.

These medications can mask raised temperature and should be used cautiously during illness. Your Child's Weight:

Paracetamol next due

At _____

Ibuprofen next due


At

Please follow the packaging guidelines for doses.

Please remember if your child is complaining of pain /or not using an injured limb, please help them to help us assess their pain and give pain relief.



Pain score



Further information

NHS 111

Reference:

Review Date: July 2022

© East and North Hertfordshire NHS Trust

🔁 111

or Contact y	your GP
--------------	---------

Useful Telephone Numbers

Bluebell Ward, Lister Hospital Stevenage	5 01438 284008
Children's Emergency Department Lister Hospital	🔁 01438 284333
Urgent Care Centre, New QEII Welwyn Garden City	2 01707 247549
Community Children's Nursing Team	5 01438 288370
Date of publication: October 2013 Author: Patient Information Group	www.enherts-tr.nhs.uk

Version: 3 (July 2019 no change)

You can request this information in a different format or another language.