East and North Hertfordshire NHS **NHS Trust**



Published Articles 2016

Report Produced by

The East & North Hertfordshire NHS Trust Library Team

on behalf of the Research and Development Team



Purpose

This document provides a list of publications produced by East and North Hertfordshire NHS Trust (ENHT) from January – December 2016.

Approach

- The Trust library staff search <u>PubMed</u> (the public version of Medline) and the library's subscription to <u>BMJ Case Reports</u> on a quarterly basis, on behalf of the R&D team, to find articles published by ENHT staff working on any of the Trust's sites.
- Various permutations of the site names are searched in order to capture as many published articles as possible and these include: East and North Herts Trust, East & North Herts NHS Trust; E&N Herts Trust; East and North Hertfordshire NHS Trust; Lister Hospital; Lister Hospital NHS Trust; Mount Vernon; Hertford County Hospital; QEII Hospital; QE2 Hospital; Queen Elizabeth II Hospital; Welwyn Garden City

This is because a number of staff publish their research without reference to the East and North Hertfordshire NHS Trust using instead Lister Hospital or Mount Vernon Cancer Centre. Whilst every effort is made to capture all published articles, this means that the search presented in this report probably underestimates the actual number of publications.

- The library staff also search, by author, for Trust employees who are known to be engaged in research or who publish regularly.
- A manual sense check is completed to ensure that the authorship of the publications relates to the Trust.
- The references are posted from PubMed into <u>Citeulike</u>, a free web service 'for managing and discovering scholarly references'.
- Articles published in journals that are not indexed on Medline (e.g the Trust's publication - Hertfordshire Journal of Medicine) are added manually to Citeulike.
- Tags are added to each reference to indicate the Trust site where the research has taken place.
- The articles are exported out of Citeulike as a CSV file. They are then formatted into a word document which is proof read and saved both in Word and PDF format.

Findings

The Trust is research active and for the period Jan 2016 – Dec 2016 produced at least 199 publications which were recorded on Medline. A list of the publications is given in Appendix 1.

Key points are:

- There is a very wide range of research areas including patient care and also patient experience
- Publications are often part of collaborations with a wide variety of organisations
- The research is published in a number of key prestigious journals
- Different staff groups contribute to research publications

Full text of the articles can be provided on request from the library staff by emailing <u>librarylister.enh-tr@nhs.net</u>. In most cases articles will be sent in electronic format free of charge. Please provide a postal address if a printed copy is required.

Whilst every effort is made to ensure the accuracy of this report, the library team welcomes comments and notifications of amendments. Please contact the team on the above e-mail address.



Appendix 1

2016 Lister Hospital

- F. Aloraifi, et al. (2016). 'Secondary Merkel Cell Carcinoma Arising From a Graft Donor Site.'. Journal of cutaneous medicine and surgery .
- S. Angra & W. G. McCluggage (2016). 'Endocervical Polyp With Florid "Epidermal Metaplasia": Report of a Previously Undescribed Phenomenon.'. International journal of gynecological pathology 35(5):478–481.
- D. Ashiru-Oredope, et al. (2016). 'Implementation of antimicrobial stewardship interventions recommended by national toolkits in primary and secondary healthcare sectors in England: TARGET and Start Smart Then Focus.'. *The Journal of antimicrobial chemotherapy* 71(5):1408–1414.
- S. E. Batley, et al. (2016). 'Post-Operative Pain Management in Patients Undergoing Robotic Urological Surgery.'. *Current urology* 9(1):5–11.
- A. Brodie, et al. (2016). 'Unusual case of respiratory embarrassment secondary to tracheal compression by a dilated oesophagus in a patient with recurrent achalasia.'. *BMJ case reports* 2016.
- K. M. Burnand, et al. (2016). 'A randomised, single blinded trial, assessing the effect of a two week preoperative very low calorie diet on laparoscopic cholecystectomy in obese patients.'. *HPB : the official journal of the International Hepato Pancreato Biliary Association* 18(5):456–461.
- S. M. Chandna, et al. (2016). 'Rate of Decline of Kidney Function, Modality Choice, and Survival in Elderly Patients with Advanced Kidney Disease.'. Nephron 134(2):64–72.



- J. Chilcot, et al. (2016). 'C reactive protein and depressive symptoms in haemodialysis patients: A questionable association.'. *Hemodialysis international. International Symposium on Home Hemodialysis*.
- R. S. S. Deol, et al. (2016). 'Return to Training and Playing After Acute Lisfranc Injuries in Elite Professional Soccer and Rugby Players.'. *The American journal of sports medicine* 44(1):166–170.
- J. M. Duffy, et al. (2016). 'Educational effectiveness of gynaecological teaching associates: a multi-centre randomised controlled trial.'. *BJOG : an international journal of obstetrics and gynaecology* 123(6):1005–1010.
- S. El-Kateb, et al. (2016a). 'Comparison of resting and total energy expenditure in peritoneal dialysis patients and body composition measured by dual-energy X-ray absorptiometry.'. *European journal of clinical nutrition* 70(11):1337–1339.
- S. El-Kateb, et al. (2016b). 'A single weekly Kt/Vurea target for peritoneal dialysis patients does not provide an equal dialysis dose for all.'. *Kidney international* 90(6):1342–1347.
- M. Farag, et al. (2016a). 'Treatment of calcified coronary artery lesions.'. *Expert review of cardiovascular therapy* 14(6):683–690.
- M. Farag, et al. (2016b). 'Relative effects of different non-vitamin K antagonist oral anticoagulants on global thrombotic status in atrial fibrillation.'. *Platelets* 27(7):687–693.

- M. Farag, et al. (2016c). 'Use of bioresorbable vascular scaffold: a meta-analysis of patients with coronary artery disease.'. Open heart 3(2).
- K. Farrington & A. Davenport (2016). 'Would prescribing target Kt dose adjusted for body surface area improve hemodialysis outcomes?'. *Kidney international* 90(6):1160–1162.
- L.-A. A. Frank & A. Solomon (2016). 'Hyperglycaemic hyperosmolar state.'. British journal of hospital medicine (London, England : 2005) 77(9).
- M. Haque & G. Yap (2016). 'Continuous peripheral nerve blocks for postoperative pain.'. British journal of hospital medicine (London, England : 2005) 77(10).

M. Hughes & B. Wijeyekoon (2016). 'Disabling iatrogenic disorder.'. BMJ case reports 2016.

- D. P. Hughes, et al. (2016). 'Familial Hypercholesterolaemia in the Era of Genetic Testing.'. *Current cardiology reports* 18(5).
- O. U. Iyasere, et al. (2016). 'Quality of Life and Physical Function in Older Patients on Dialysis: A Comparison of Assisted Peritoneal Dialysis with Hemodialysis.'. *Clinical journal of the American Society of Nephrology : CJASN* 11(3):423–430.
- P. Jones, et al. (2016a). 'Percutaneous Nephrolithotomy for Stones in Solitary Kidney: Evidence From a Systematic Review.'. *Urology*.
- P. Jones, et al. (2016b). 'Holmium laser enucleation versus simple prostatectomy for treating large prostates: Results of a systematic review and meta-analysis.'. *Arab journal of urology* 14(1):50–58.
- P. Jones, et al. (2016c). 'Treatment options and outcomes for lower pole stone management: are we there yet?'. Annals of translational medicine 4(3).
- P. Jones, et al. (2016d). 'Prostatic Urethral Lift Vs Prostate Arterial Embolization: Novel Nonablative Strategies in the Management of Lower Urinary Tract Symptoms Secondary to Benign Prostate Hyperplasia.'. Urology 87:11–17.
- P. Jones, et al. (2016e). 'Urolift: a new chapter in benign prostate hyperplasia (BPH) therapy.'. Annals of translational medicine 4(6).
- P. Jones, et al. (2016f). 'Ureteroscopy for stones in solitary kidney: Preferred not just a standard option.'. *Central European journal of urology* 69(3).
- P. Jones, et al. (2016g). 'Outcomes of ureteroscopy for patients with stones in a solitary kidney: evidence from a systematic review.'. Central European journal of urology 69(1):83–90.
- P. Jones, et al. (2016h). 'Medium-term Outcomes of Urolift (Minimum 12 Months Follow-up): Evidence From a Systematic Review.'. Urology 97:20–24.
- N. Karunanithy, et al. (2016). 'Paclitaxel-coated balloon fistuloplasty versus plain balloon fistuloplasty only to preserve the patency of arteriovenous fistulae used for haemodialysis (PAVE): study protocol for a randomised controlled trial.'. *Trials* 17(1).
- B. Kenway, et al. (2016). 'Are routine preoperative CT scans necessary in adult cochlear implantation? Implications for the allocation of resources in cochlear implant programs.'. *Ear, nose, & throat journal* 95(8):318–322.
- N. Khanna & K. Patel (2016). 'FPIES: Reviewing the Management of Food Protein-Induced Enterocolitis Syndrome.'. *Case reports in pediatrics* 2016.
- M. Khpal & M. Coxwell Matthewman (2016). 'Cardiac arrest: a missed learning opportunity.'. Postgraduate medical journal 92(1092):608–610.

P. Kotwinski, et al. (2016). 'Body Surface Area and Baseline Blood Pressure Predict Subclinical Anthracycline Cardiotoxicity in Women Treated for Early Breast Cancer.'. *PloS one* 11(12).

K. Kulkarni, et al. (2016). 'Obesity and osteoarthritis.'. Maturitas 89:22–28.

- D. Ladenheim, et al. (2016). 'Are current electronic prescribing systems facilitating antimicrobial stewardship in acute National Health Service Hospital Trusts in the East of England?'. *The Journal of hospital infection* 94(2):200–201.
- M. Lazzeri, et al. (2016). 'Clinical performance of prostate health index in men with tPSA>10ng/ml: Results from a multicentric European study.'. Urologic oncology 34(9).
- W.-j. J. Li, et al. (2016). 'The effect of growing Rod treatment on coronal balance during serial lengthening surgeries in early onset scoliosis.'. *BMC musculoskeletal disorders* 17(1).
- J. O. Lynch, et al. (2016). 'Bilateral obstruction of bilaterally duplicated collecting systems requiring upper and lower moiety drainage.'. Annals of the Royal College of Surgeons of England 98(4).
- G. Martin, et al. (2016). 'Mobile revolution: a requiem for bleeps?'. Postgraduate medical journal 92(1091):493-496.
- S. McGowan-Smyth, et al. (2016). 'Spinal Anesthesia Facilitates the Early Recognition of TUR Syndrome.'. *Current* urology 9(2):57–61.
- A. McMillan & M. J. Morrell (2016). 'Sleep disordered breathing at the extremes of age: the elderly.'. *Breathe* (*Sheffield, England*) 12(1):50–60.
- T. A. A. McNicholas (2016). 'Benign prostatic hyperplasia and new treatment options a critical appraisal of the UroLift system.'. *Medical devices (Auckland, N.Z.)* 9:115–123.
- M. Monem, et al. (2016). 'Axillary artery pseudoaneurysm resulting in brachial plexus injury in a patient taking new oral anticoagulants.'. *BMJ case reports* 2016.
- Z. Mughal, et al. (2016). 'Clinical need-directed blood tests: a step in saving the NHS? '. Annals of clinical biochemistry 53(Pt 5):568–574.
- K. Nash, et al. (2016). 'Uterine torsion, a rare cause of acute abdominal pain in the third trimester of pregnancy: A case report.'. *Journal of obstetrics and gynaecology : the journal of the Institute of Obstetrics and Gynaecology* 36(5):668–669.

I. J. Nixon, et al. (2016). 'Metastasis to the Thyroid Gland: A Critical Review.'. Annals of surgical oncology .

- G. Novara, et al. (2016). 'Robot-assisted partial nephrectomy in cystic tumours: analysis of the Vattikuti Global Quality Initiative in Robotic Urologic Surgery (GQI-RUS) database.'. *BJU international* 117(4):642–647.
- N. R. Qureshi, et al. (2016). 'Accuracy and cost-effectiveness of dynamic contrast-enhanced CT in the characterisation of solitary pulmonary nodules-the SPUtNIk study.'. *BMJ open respiratory research* 3(1).
- B. P. P. Rai, et al. (2016). 'The Role of Positron Emission Tomography With (68)Gallium (Ga)-Labeled Prostate-specific Membrane Antigen (PSMA) in the Management of Patients With Organ-confined and Locally Advanced Prostate Cancer Prior to Radical Treatment and After Radical Prostatectomy.'. Urology 95:11–15.

M. Ramphul, et al. (2016a). 'It is time to relax.'. Postgraduate medical journal 92(1085).

M. Ramphul, et al. (2016b). 'Neonatal imperforate hymen with hydrocolpos.'. BMJ case reports 2016.

L. Segall, et al. (2016). 'Criteria for and Appropriateness of Renal Transplantation in Elderly Patients With End-Stage Renal Disease: A Literature Review and Position Statement on Behalf of the European Renal Association-European Dialysis and Transplant Association Descartes Working Group and European Renal Best Practice.'. *Transplantation* 100(10).

- C. D. Smith, et al. (2016). 'Anatomy of the terminal branch of the posterior circumflex humeral artery: relevance to the deltopectoral approach to the shoulder.'. *The bone & joint journal* 98-B(10):1395–1398.
- S. Sodha, et al. (2016). 'Effect of Pneumoperitoneum on Renal Function and Physiology in Patients Undergoing Robotic Renal Surgery.'. *Current urology* 9(1):1–4.
- N. Spinthakis, et al. (2016). 'Spontaneous Coronary Artery Dissection: The Phantom Menace.'. Cardiology research 7(6):214–217.
- S. Sridharan, et al. (2016). 'Comparison of energy estimates in chronic kidney disease using doubly-labelled water.'. *Journal of human nutrition and dietetics : the official journal of the British Dietetic Association* 29(1):59–66.
- Z.-j. J. Sun, et al. (2016). 'Identification of candidate diagnostic biomarkers for adolescent idiopathic scoliosis using UPLC/QTOF-MS analysis: a first report of lipid metabolism profiles.'. *Scientific reports* 6.
- C. R. Svasti-Salee, et al. (2016). 'Response to: 'Cotton wool spots and migraine: a case series of three patients'.'. *Eye* (London, England) 30(12):1648–1649.
- O. Swift, et al. (2016a). 'Outcomes following surgery for fractured neck of femur in dialysis patients: a 5-year review from a district general hospital in the United Kingdom.'. *BMC nephrology* 17.
- O. Swift, et al. (2016b). 'Attitudes in Patients with Autosomal Dominant Polycystic Kidney Disease Toward Prenatal Diagnosis and Preimplantation Genetic Diagnosis.'. *Genetic testing and molecular biomarkers* 20(12):741–746.
- S. Tadtayev, et al. (2016). 'The association of level of practical experience in transrectal ultrasonography guided prostate biopsy with its diagnostic outcome.'. *Annals of the Royal College of Surgeons of England* pp. 1–6.
- R. Teixeira, et al. (2016). 'Descending aortic mechanics and atrial fibrillation: a two-dimensional speckle tracking transesophageal echocardiography study.'. *The international journal of cardiovascular imaging*.
- A. Tsikoudas, et al. (2016). 'Impact of Otolaryngology in the diagnosis of early oesophageal malignancy.'. *The surgeon* : journal of the Royal Colleges of Surgeons of Edinburgh and Ireland 14(1):22–25.
- N. Turnbull, et al. (2016). 'Primary Melanoma of the Penis in 3 Patients With Lichen Sclerosus.'. JAMA dermatology 152(2):226–227.
- S. N. van der Veer, et al. (2016). 'Priority topics for European multidisciplinary guidelines on the management of chronic kidney disease in older adults.'. *International urology and nephrology* 48(6):859–869.
- N. Vasdev (2016). 'Editorial Comment to Validation of an educational program balancing surgeon training and surgical quality control during robot-assisted radical prostatectomy.'. *International journal of urology* 23(2):166–167.
- N. Vasdev, et al. (2016). 'Intraoperative Frozen Section of the Prostate Reduces the Risk of Positive Margin Whilst Ensuring Nerve Sparing in Patients with Intermediate and High-Risk Prostate Cancer Undergoing Robotic Radical Prostatectomy: First Reported UK Series.'. *Current urology* 9(2):93–103.
- P. V. Vlastarakos, et al. (2016). 'A limited thoracocervical approach for accessing the anterior mediastinum in retrosternal goiters: Surgical technique and implications for the management of head and neck emergencies.'. *Ear, nose, & throat journal* 95(3).
- A. S. Wierzbicki & A. Viljoen (2016). 'Anti-sense oligonucleotide therapies for the treatment of hyperlipidaemia.'. *Expert opinion on biological therapy* 16(9):1125–1134.
- V. Wileman, et al. (2016). 'Evidence of improved fluid management in patients receiving haemodialysis following a self-affirmation theory-based intervention: A randomised controlled trial.'. *Psychology & health* 31(1):100–114.
- E. Wilkinson, et al. (2016). 'Exploring access to end of life care for ethnic minorities with end stage kidney disease through recruitment in action research.'. *BMC palliative care* 15.

- J. Wong, et al. (2016a). 'A comparative study of blood endotoxin detection in haemodialysis patients.'. Journal of inflammation (London, England) 13.
- J. Wong, et al. (2016b). 'Predicting residual kidney function in hemodialysis patients using serum β-trace protein and β2-microglobulin.'. *Kidney international* 89(5):1090–1098.
- J. Wong, et al. (2016c). 'Is Endotoxemia in Stable Hemodialysis Patients an Artefact? Limitations of the Limulus Amebocyte Lysate Assay and Role of $(1\rightarrow 3)$ - β -D Glucan.'. *PloS one* 11(10).
- G. Xiong, et al. (2016). 'Microstructural study of the lunate in stage III Kienböck's disease with micro-computed tomography imaging.'. The Journal of hand surgery, European volume .
- G. Yap & A. Singh (2016). 'Should we reconsider the use of intra-articular local anaesthetics? '. British journal of hospital medicine (London, England : 2005) 77(1).
- S. Young, et al. (2016). 'Guidelines for identification and treatment of individuals with attention deficit/hyperactivity disorder and associated fetal alcohol spectrum disorders based upon expert consensus.'. *BMC psychiatry* 16(1).

2016 Mount Vernon Cancer Centre

- H. Ariyaratne, et al. (2016). 'Image-guided radiotherapy for prostate cancer with cone beam CT: dosimetric effects of imaging frequency and PTV margin.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 121(1):103–108.
- J. I. I. Arraras, et al. (2016). 'EORTC QLQ-COMU26: a questionnaire for the assessment of communication between patients and professionals. Phase III of the module development in ten countries.'. Supportive care in cancer .
- R. Baird, et al. (2016). 'An Association of Cancer Physicians' strategy for improving services and outcomes for cancer patients.'. Ecancermedicalscience 10.
- J. O. Barentsz, et al. (2016a). 'Reply to Erik Rud and Eduard Baco's Letter to the Editor re: Re: Jeffrey C. Weinreb, Jelle O. Barentsz, Peter L. Choyke, et al. PI-RADS Prostate Imaging Reporting and Data System: 2015, Version 2. Eur Urol 2016;69:16-40.'. European urology 70(5).
- J. O. Barentsz, et al. (2016b). 'Synopsis of the PI-RADS v2 Guidelines for Multiparametric Prostate Magnetic Resonance Imaging and Recommendations for Use.'. European urology 69(1):41–49.
- J. M. Bartlett, et al. (2016). 'Comparing Breast Cancer Multiparameter Tests in the OPTIMA Prelim Trial: No Test Is More Equal Than the Others.'. Journal of the National Cancer Institute 108(9).
- N. J. Battersby, et al. (2016). 'Predicting the Risk of Bowel-Related Quality-of-Life Impairment After Restorative Resection for Rectal Cancer: A Multicenter Cross-Sectional Study.'. Diseases of the colon and rectum 59(4):270– 280.
- M. D. Blackledge, et al. (2016). 'Inter- and Intra-Observer Repeatability of Quantitative Whole-Body, Diffusion-Weighted Imaging (WBDWI) in Metastatic Bone Disease.'. PloS one 11(4).
- A. Brédart, et al. (2016). 'The European organization for research and treatment of cancer satisfaction with cancer care questionnaire: revision and extended application development.'. Psycho-oncology .
- V. L. Bridgeman, et al. (2016). 'Preclinical Evidence That Trametinib Enhances the Response to Antiangiogenic Tyrosine Kinase Inhibitors in Renal Cell Carcinoma.'. Molecular cancer therapeutics 15(1):172–183.
- A. M. Brunt, et al. (2016). 'Acute skin toxicity associated with a 1-week schedule of whole breast radiotherapy compared with a standard 3-week regimen delivered in the UK FAST-Forward Trial.'. Radiotherapy and oncology :

journal of the European Society for Therapeutic Radiology and Oncology 120(1):114–118.

- D. Cella, et al. (2016). 'Quality of life in patients with advanced renal cell carcinoma given nivolumab versus everolimus in CheckMate 025: a randomised, open-label, phase 3 trial.'. The Lancet. Oncology 17(7):994–1003.
- E. Chow, et al. (2016a). 'Predictive model for survival in patients having repeat radiation treatment for painful bone metastases.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 118(3):547–551.
- E. Chow, et al. (2016b). 'Revisiting classification of pain from bone metastases as mild, moderate, or severe based on correlation with function and quality of life.'. Supportive care in cancer 24(4):1617–1623.
- G. J. Cook, et al. (2016). 'Bone imaging in prostate cancer: the evolving roles of nuclear medicine and radiology.'. Clinical and translational imaging 4(6):439–447.
- A. G. Dalgleish, et al. (2016). 'Randomised, open-label, phase II study of gemcitabine with and without IMM-101 for advanced pancreatic cancer.'. British journal of cancer 115(7):789–796.
- B. de Valois, et al. (2016). "The Monkey on Your Shoulder": A Qualitative Study of Lymphoedema Patients' Attitudes to and Experiences of Acupuncture and Moxibustion.'. Evidence-based complementary and alternative medicine : eCAM 2016.
- L. Dempsey, et al. (2016). 'The clinical nurse specialist's role in head and neck cancer care: United Kingdom National Multidisciplinary Guidelines.'. The Journal of laryngology and otology 130(S2).
- H. M. Earl, et al. (2016). 'Trastuzumab-associated cardiac events in the Persephone trial.'. British journal of cancer 115(12):1462–1470.
- M. Elshaer, et al. (2017). 'A systematic review of the prognostic value of lymph node ratio, number of positive nodes and total nodes examined in pancreatic ductal adenocarcinoma.'. Annals of the Royal College of Surgeons of England 99(2):101–106.
- G. Eminowicz, et al. (2016). 'Improving target volume delineation in intact cervical carcinoma: Literature review and step-by-step pictorial atlas to aid contouring.'. Practical radiation oncology 6(5).
- B. Escudier, et al. (2016). 'Open-label phase 2 trial of first-line everolimus monotherapy in patients with papillary metastatic renal cell carcinoma: RAPTOR final analysis.'. European journal of cancer (Oxford, England : 1990) 69:226–235.
- T. R. Evans, et al. (2016). 'Phase 2 Placebo-Controlled, Double-Blind Trial of Dasatinib Added to Gemcitabine for Patients with Locally-Advanced Pancreatic Cancer.'. Annals of oncology.
- C. Faivre-Finn, et al. (2016). 'Protocol for the CONVERT trial-Concurrent ONce-daily VErsus twice-daily RadioTherapy: an international 2-arm randomised controlled trial of concurrent chemoradiotherapy comparing twice-daily and once-daily radiotherapy schedules in patients with limited stage small cell lung cancer (LS-SCLC) and good performance status.'. BMJ open 6(1).
- M. Fallon, et al. (2016). 'Randomized Double-Blind Trial of Pregabalin Versus Placebo in Conjunction With Palliative Radiotherapy for Cancer-Induced Bone Pain.'. Journal of clinical oncology 34(6):550–556.
- L. Fokdal, et al. (2016). 'Image guided adaptive brachytherapy with combined intracavitary and interstitial technique improves the therapeutic ratio in locally advanced cervical cancer: Analysis from the retroEMBRACE study.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 120(3):434– 440.
- G. Folprecht, et al. (2016). 'Oxaliplatin and 5-FU/folinic acid (modified FOLFOX6) with or without aflibercept in firstline treatment of patients with metastatic colorectal cancer: the AFFIRM study.'. Annals of oncology 27(7):1273– 1279.

C. Fotopoulou, et al. (2016). 'Maximal effort cytoreductive surgery for disseminated ovarian cancer in a UK setting: challenges and possibilities.'. Archives of gynecology and obstetrics 294(3):607–614.

- E.-M. M. Gamper, et al. (2016). 'Development of an item bank for the EORTC Role Functioning Computer Adaptive Test (EORTC RF-CAT).'. Health and quality of life outcomes 14.
- J. Garcia-Aguilar, et al. (2016). 'Multimodal Rectal Cancer Treatment: In Some Cases, Less May Be More.'. American Society of Clinical Oncology educational book. American Society of Clinical Oncology. Meeting 35:92–102.
- R. García-Figueiras, et al. (2016a). 'Advanced imaging of colorectal cancer: From anatomy to molecular imaging.'. Insights into imaging 7(3):285–309.
- R. García-Figueiras, et al. (2016b). 'Therapy Monitoring with Functional and Molecular MR Imaging.'. Magnetic resonance imaging clinics of North America 24(1):261–288.
- J. M. Giesinger, et al. (2016). 'Thresholds for clinical importance for four key domains of the EORTC QLQ-C30: physical functioning, emotional functioning, fatigue and pain.'. Health and quality of life outcomes 14.
- M. Gleeson, et al. (2016). 'Rituximab, cyclophosphamide, doxorubicin, vincristine and prednisolone (R-CHOP) in the management of primary mediastinal B-cell lymphoma: a subgroup analysis of the UK NCRI R-CHOP 14 versus 21 trial.'. British journal of haematology 175(4):668–672.
- R. Glynne-Jones & C. Carvalho (2016). 'Drug Combinations in Preoperative Chemoradiation for Rectal Cancer.'. Seminars in radiation oncology 26(3):211–219.
- R. Glynne-Jones & R. Hughes (2016a). 'Complete Response after Chemoradiotherapy in Rectal Cancer (Watch-and-Wait): Have we Cracked the Code? '. Clinical oncology (Royal College of Radiologists (Great Britain)) 28(2):152– 160.
- R. Glynne-Jones & R. Hughes (2016b). 'Watch-and-wait versus surgical resection for patients with rectal cancer.'. The Lancet. Oncology 17(4).
- R. Glynne-Jones (2016). 'Adding extra dimensions in rectal cancer theory.'. Annals of oncology .
- R. Glynne-Jones, et al. (2016a). 'Background and Current Treatment of Squamous Cell Carcinoma of the Anus.'. Oncology and therapy 4(2):135–172.
- R. Glynne-Jones, et al. (2016b). 'Squamous-cell carcinoma of the anus: progress in radiotherapy treatment.'. Nature reviews. Clinical oncology 13(7):447–459.

S. M. Goldinger, et al. (2016). 'Treatment of melanoma brain metastases.'. Current opinion in oncology 28(2):159-165.

- A. Gupta, et al. (2016). 'RADVAN: a randomised phase 2 trial of WBRT plus vandetanib for melanoma brain metastases results and lessons learnt.'. British journal of cancer 115(10):1193–1200.
- S. Gwynne, et al. (2016). 'Prospective review of radiotherapy trials through implementation of standardized multicentre workflow and IT infrastructure.'. The British journal of radiology.
- K. Harrold, et al. (2016). 'Proactive PICC placement: evaluating the patient experience.'. British journal of nursing (Mark Allen Publishing) 25(8).
- K. Haslett, et al. (2016). 'Protocol for the isotoxic intensity modulated radiotherapy (IMRT) in stage III non-small cell lung cancer (NSCLC): a feasibility study.'. BMJ open 6(4).
- M. Q. F. Q. Hatton, et al. (2016). 'Continuous hyperfractionated accelerated radiotherapy Escalated dose (CHART-ED): A phase I study.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 118(3):471–477.

- P. J. Hoskin, et al. (2016). 'Recommendations for Radiotherapy Technique and Dose in Extra-nodal Lymphoma.'. Clinical oncology (Royal College of Radiologists (Great Britain)) 28(1):62–68.
- N. Hugen, et al. (2016). 'Advances in the care of patients with mucinous colorectal cancer.'. Nature reviews. Clinical oncology 13(6):361–369.
- A. Ilhan-Mutlu, et al. (2016). 'Bevacizumab Prevents Brain Metastases Formation in Lung Adenocarcinoma.'. Molecular cancer therapeutics 15(4):702–710.
- J. J. Irlam-Jones, et al. (2016). 'Expression of miR-210 in relation to other measures of hypoxia and prediction of benefit from hypoxia modification in patients with bladder cancer.'. British journal of cancer 115(5):571–578.
- N. D. James, et al. (2016). 'Addition of docetaxel, zoledronic acid, or both to first-line long-term hormone therapy in prostate cancer (STAMPEDE): survival results from an adaptive, multiarm, multistage, platform randomised controlled trial.'. Lancet (London, England) 387(10024):1163–1177.
- E. Kaljouw, et al. (2016). 'A Delphi consensus study on salvage brachytherapy for prostate cancer relapse after radiotherapy, a Uro-GEC study.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 118(1):122–130.
- K. Kirchheiner, et al. (2016). 'Dose-effect relationship and risk factors for vaginal stenosis after definitive radio(chemo)therapy with image-guided brachytherapy for locally advanced cervical cancer in the EMBRACE study.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 118(1):160–166.
- M. Kosmin & S. Ahmad (2016). 'An Uncertain Future for Clinical Oncology Training in the UK.'. Clinical oncology (Royal College of Radiologists (Great Britain)) 28(3):228–229.

M. Kosmin, et al. (2016). 'Current Views on Clinical Oncology Training from the 2015 Oncology Registrars' Forum Survey.'. Clinical oncology (Royal College of Radiologists (Great Britain)) 28(9).

- W. Kuijpers, et al. (2016). 'Patients' and health professionals' understanding of and preferences for graphical presentation styles for individual-level EORTC QLQ-C30 scores.'. Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation 25(3):595–604.
- D. B. Landau, et al. (2016). 'IDEAL-CRT: A Phase 1/2 Trial of Isotoxic Dose-Escalated Radiation Therapy and Concurrent Chemotherapy in Patients With Stage II/III Non-Small Cell Lung Cancer.'. International journal of radiation oncology, biology, physics 95(5):1367–1377.
- A. Larbi, et al. (2016). 'Whole body MRI (WB-MRI) assessment of metastatic spread in prostate cancer: Therapeutic perspectives on targeted management of oligometastatic disease.'. The Prostate 76(11):1024–1033.
- J. A. Ledermann, et al. (2016a). 'Cediranib in patients with relapsed platinum-sensitive ovarian cancer (ICON6): a randomised, double-blind, placebo-controlled phase 3 trial.'. Lancet (London, England) 387(10023):1066–1074.
- J. A. Ledermann, et al. (2016b). 'Quality of life during olaparib maintenance therapy in platinum-sensitive relapsed serous ovarian cancer.'. British journal of cancer 115(11):1313–1320.
- J. A. Ledermann, et al. (2016c). 'Overall survival in patients with platinum-sensitive recurrent serous ovarian cancer receiving olaparib maintenance monotherapy: an updated analysis from a randomised, placebo-controlled, double-blind, phase 2 trial.'. The Lancet. Oncology 17(11):1579–1589.
- G. V. Long, et al. (2016). 'Factors predictive of response, disease progression, and overall survival after dabrafenib and trametinib combination treatment: a pooled analysis of individual patient data from randomised trials.'. The Lancet. Oncology 17(12):1743–1754.
- M. P. Lutz, et al. (2016a). 'Corrigendum to "2nd St. Gallen EORTC Gastrointestinal Cancer Conference: Consensus recommendations on controversial issues in the primary treatment of rectal cancer" [Eur J Cancer 63 (August 2016) 11-24].'. European journal of cancer (Oxford, England : 1990) 68:208–209.

- M. P. Lutz, et al. (2016b). 'Second St. Gallen European Organisation for Research and Treatment of Cancer Gastrointestinal Cancer Conference: consensus recommendations on controversial issues in the primary treatment of rectal cancer.'. European journal of cancer (Oxford, England : 1990) 63:11–24.
- F. Macbeth, et al. (2016). 'Randomized Phase III Trial of Standard Therapy Plus Low Molecular Weight Heparin in Patients With Lung Cancer: FRAGMATIC Trial.'. Journal of clinical oncology 34(5):488–494.
- G. Malietzis, et al. (2016). 'Influence of body composition profile on outcomes following colorectal cancer surgery.'. The British journal of surgery 103(5):572–580.
- C. Marth, et al. (2017). 'ENGOT-ov-6/TRINOVA-2: Randomised, double-blind, phase 3 study of pegylated liposomal doxorubicin plus trebananib or placebo in women with recurrent partially platinum-sensitive or resistant ovarian cancer.'. European journal of cancer (Oxford, England : 1990) 70:111–121.
- J. Mateo, et al. (2016). 'An Adaptive Study to Determine the Optimal Dose of the Tablet Formulation of the PARP Inhibitor Olaparib.'. Targeted oncology 11(3):401–415.
- U. A. Matulonis, et al. (2016). 'Olaparib maintenance therapy in patients with platinum-sensitive, relapsed serous ovarian cancer and a BRCA mutation: Overall survival adjusted for postprogression poly(adenosine diphosphate ribose) polymerase inhibitor therapy.'. Cancer 122(12):1844–1852.

A. Maxwell, et al. (2016). 'The dosimetric impact of air in vaginal vault brachytherapy.'. Brachytherapy 15(6):832–838.

- R. Mazeron, et al. (2016). 'Dose-volume effect relationships for late rectal morbidity in patients treated with chemoradiation and MRI-guided adaptive brachytherapy for locally advanced cervical cancer: Results from the prospective multicenter EMBRACE study.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 120(3):412–419.
- G. A. McArthur, et al. (2016). 'Vemurafenib in Metastatic Melanoma Patients with Brain Metastases: An Open-Label, Single-Arm, Phase 2, Multicentre Study.'. Annals of oncology.
- C. K. McGarry, et al. (2016a). 'The use of log file analysis within VMAT audits.'. The British journal of radiology 89(1062).
- C. K. McGarry, et al. (2016b). 'The role of complexity metrics in a multi-institutional dosimetry audit of VMAT.'. The British journal of radiology 89(1057).
- H. Mehanna, et al. (2016a). 'Management of advanced nodal disease in patients treated with primary chemoradiotherapy.'. Current opinion in oncology 28(3):201–204.
- H. Mehanna, et al. (2016b). 'PET-CT Surveillance versus Neck Dissection in Advanced Head and Neck Cancer.'. The New England journal of medicine 374(15):1444–1454.
- S. Mehta, et al. (2016). 'Radiogenomics Monitoring in Breast Cancer Identifies Metabolism and Immune Checkpoints as Early Actionable Mechanisms of Resistance to Anti-angiogenic Treatment.'. EBioMedicine 10:109–116.
- C. M. Moore, et al. (2016). 'Reporting Magnetic Resonance Imaging in Men on Active Surveillance for Prostate Cancer: The PRECISE Recommendations-A Report of a European School of Oncology Task Force.'. European urology.
- R. Muirhead, et al. (2017). 'Initial Results from the Royal College of Radiologists' UK National Audit of Anal Cancer Radiotherapy 2015.'. Clinical oncology (Royal College of Radiologists (Great Britain)) 29(3):188–197.
- L. Murray, et al. (2016). 'Modelling second malignancy risks from low dose rate and high dose rate brachytherapy as monotherapy for localised prostate cancer.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 120(2):293–299.
- J. P. O'Connor, et al. (2016). 'Imaging biomarker roadmap for cancer studies.'. Nature reviews. Clinical oncology .

A. R. Padhani, et al. (2016a). 'Finding Minimal Extraprostatic Disease: Who Cares? '. European urology 70(2):246-247.

- A. R. Padhani, et al. (2016b). 'Magnetic Resonance Imaging Before Prostate Biopsy: Time to Talk.'. European urology 69(1):1–3.
- A. L. Palmer, et al. (2016). 'Current status of kilovoltage (kV) radiotherapy in the UK: installed equipment, clinical workload, physics quality control and radiation dosimetry.'. The British journal of radiology 89(1068).
- M. A. A. Petersen, et al. (2016a). 'Development of an item bank for computerized adaptive test (CAT) measurement of pain.'. Quality of life research : an international journal of quality of life aspects of treatment, care and rehabilitation 25(1):1–11.
- M. A. A. Petersen, et al. (2016b). 'An emotional functioning item bank of 24 items for computerized adaptive testing (CAT) was established.'. Journal of clinical epidemiology 70:90–100.
- I. Petkar, et al. (2016). 'DARS: a phase III randomised multicentre study of dysphagia- optimised intensity- modulated radiotherapy (Do-IMRT) versus standard intensity- modulated radiotherapy (S-IMRT) in head and neck cancer.'. BMC cancer 16(1).
- T. Powles, et al. (2016). 'A randomized, double-blind phase II study evaluating cediranib versus cediranib and saracatinib in patients with relapsed metastatic clear-cell renal cancer (COSAK).'. Annals of oncology 27(5):880–886.
- N. R. Qureshi, et al. (2016). 'Dynamic contrast enhanced CT in nodule characterization: How we review and report.'. Cancer imaging : the official publication of the International Cancer Imaging Society 16(1).
- G. J. Rustin & M. R. Hall (2016). 'Is CA125 useful in monitoring patients with platinum-resistant ovarian cancer?'. Annals of oncology 27(8):1365–1366.
- B. Sanghera, et al. (2016). 'Pre-clinical Positron Emission Tomography Reconstruction Algorithm Effect on Cu-64 ATSM Lesion Hypoxia.'. Molecular imaging and radionuclide therapy 25(1):19–25.
- O. Sartor, et al. (2016). 'Chemotherapy following radium-223 dichloride treatment in ALSYMPCA.'. The Prostate 76(10):905–916.
- S. Singer, et al. (2016). 'Quality-of-Life Priorities in Patients with Thyroid Cancer: A Multinational European Organisation for Research and Treatment of Cancer Phase I Study.'. Thyroid 26(11):1605–1613.
- R. C. Stein, et al. (2016). 'OPTIMA prelim: a randomised feasibility study of personalised care in the treatment of women with early breast cancer.'. Health technology assessment (Winchester, England) 20(10).
- G. D. Stewart, et al. (2016). 'Cytoreductive Nephrectomy in the Tyrosine Kinase Inhibitor Era: A Question That May Never Be Answered.'. European urology.
- A. Sturdza, et al. (2016). 'Image guided brachytherapy in locally advanced cervical cancer: Improved pelvic control and survival in RetroEMBRACE, a multicenter cohort study.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 120(3):428–433.
- S. Sutherland, et al. (2016). 'Use of maintenance endocrine therapy after chemotherapy in metastatic breast cancer.'. European journal of cancer (Oxford, England : 1990) 69:216–222.
- K. Tanderup, et al. (2016). 'Effect of tumor dose, volume and overall treatment time on local control after radiochemotherapy including MRI guided brachytherapy of locally advanced cervical cancer.'. Radiotherapy and oncology : journal of the European Society for Therapeutic Radiology and Oncology 120(3):441–446.
- B. Taouli, et al. (2016). 'Diffusion-weighted imaging outside the brain: Consensus statement from an ISMRMsponsored workshop.'. Journal of magnetic resonance imaging : JMRI 44(3):521–540.

N. Thiruthaneeswaran & P. J. Hoskin (2016). 'High dose rate brachytherapy for prostate cancer: Standard of care and future direction.'. Cancer radiotherapie : journal de la Societe francaise de radiotherapie oncologique 20(1):66–72.

E. Van Cutsem, et al. (2016). 'Imaging in Colorectal Cancer: Progress and Challenges for the Clinicians.'. Cancers 8(9).

- A. Vinayan & R. Glynne-Jones (2016). 'Anal cancer What is the optimum chemoradiotherapy? '. Best practice & research. Clinical gastroenterology 30(4):641–653.
- D. K. Woolf, et al. (2016). 'Arterial input functions in dynamic contrast-enhanced magnetic resonance imaging: which model performs best when assessing breast cancer response?'. The British journal of radiology 89(1063).

2016 Hertfordshire Journal of Medicine

- T. Afxentiou, et al. (2016). 'Hepatic hydrothorax: a case report'. Hertfordshire Journal of Medicine 13(2):24–27.
- Z. Ahemd & E. L. Blake (2016). 'Acquired Haemophilia A presenting as knee pain'. Hertfordshire Journal of Medicine 13(1):10–11.

K. Fletton, et al. (2016). 'Rashes - which ones should worry us?'. Hertfordshire Journal of Medicine 13(1):18-19.

- F. A. Jaafari, et al. (2016). 'Inguinal lymphadenopathy in suspected testicular malignancy in patients with previous scrotal surgery -beware of metastasis'. hertfordshire Journal of Medicine 13(1):20–21.
- T. J. Karssiens & J. Wood (2016). 'Pontine tegmental haemorrhage presenting as Foville syndrome'. Hertfordshire Journal of Medicine 13(1):12–14.
- T. Lane (2016). 'Retroperitoneal versus transperitoneal laparoscopic surgery'. Hertfordshire Journal of Medicine 13(1):23–25.
- E. McNaughton, et al. (2016). 'Changing trends in infective endocarditis: a case report and review of the literature'. Hertfordshire Journal of Medicine 13(2):7–9.
- M. Menem, et al. (2016). 'Cadaveric simulation: a new development at the Lister Education Centre'. Hertfordshire Journal of Medicine 13(1):30–32.
- J. Newman & S. A. Khan (2016). 'Acute aortic syndrome: a new dimension in managing chest pain'. Hertfordshire Journal of Medicine 13(2):10–13.

K. Owden & S. A. Khan (2016). 'Hypomagnesaemia and depression'. Hertfordshire Journal of Medicine 13(2):21-23.

J. Patel, et al. (2016). 'Catch me when I fall! '. Hertfordshire Journal of Medicine 13(1):22.

- R. Patel, et al. (2016). 'Bilateral thalamic infarcts due to occlusion of the artery of Percheron'. Hertfordshire Journal of Medicine 13(2):14–15.
- B. Rai, et al. (2016). 'Can cytokine levels be used as predictive marker for ileus in patients undergoing advanced robotic assisted pelvic surgery?'. Hertfordshire Journal of Medicine 13(2):4–6.
- M. Ramphul, et al. (2016). 'Wheezes, coughs, splutters: management by paediatric trainees'. Hertfordshire Journal of Medicine 13(2):16–20.

L. Royle & W. Topping (2016). 'Audit to assess timelines of CT head scanning and reporting at the Lister Hospital, Stevenage'. Hertfordshire Journal of Medicine 13(1):26–29.

S. Sciacca, et al. (2016). 'An unusual case of hip heterotopic ossification following Guillan Barre Syndrome: was it preventable by early recognition? '. Hertfordshire Journal of Medicine 13(1):15–17.

P. Smith, et al. (2016). 'The development of a research strategy for East and North Hertfordshire NHS Trust'. Hertfordshire Journal of Medicine 13(1):4–9.

M. M. Zaman, et al. (2016). 'Are beta blockers more effective than calcium channel blockers in controlling heart rate in patients with atrial fibrillation? A meta-analysis'. Hertfordshire Journal of Medicine 13(2):28–31.